

# Schema Campaign\_finance.xsd


## element campaign-finance-transactions

diagram							
namespace	http://www.us.or						
properties	content complex						
children	<a href="#">contact</a> <a href="#">transaction</a>						
attributes	Name	Type	Use	Default	Fixed	annotation	
	<a href="#">filer-id</a>	xs:positiveInteger	required				
annotation	documentation Committee Transactions by contact						
source	<pre> &lt;xs:element name="campaign-finance-transactions"&gt;   &lt;xs:annotation&gt;     &lt;xs:documentation&gt;Committee Transactions by contact&lt;/xs:documentation&gt;   &lt;/xs:annotation&gt;   &lt;xs:complexType&gt;     &lt;xs:sequence&gt;       &lt;xs:element ref="contact" minOccurs="0" maxOccurs="1000"&gt;         &lt;xs:annotation&gt;           &lt;xs:documentation&gt;an individuals, business/organization or committee that has contributed to, been paid by or has a reportable connection with the committee.&lt;/xs:documentation&gt;         &lt;/xs:annotation&gt;       &lt;/xs:element&gt;       &lt;xs:element ref="transaction" maxOccurs="1000"/&gt;     &lt;/xs:sequence&gt;     &lt;xs:attribute name="filer-id" type="xs:positiveInteger" use="required"/&gt;   &lt;/xs:complexType&gt; &lt;/xs:element&gt; </pre>						

## attribute campaign-finance-transactions/@filer-id

type	xs:positiveInteger
properties	isRef 0 use required
source	<xs:attribute name="filer-id" type="xs:positiveInteger" use="required"/>

## element **contact**



namespace	http://www.us.or					
properties	content complex					
children	<a href="#">type</a> <a href="#">contact-name</a> <a href="#">address</a> <a href="#">phone</a> <a href="#">email</a> <a href="#">occupation</a> <a href="#">employment</a>					
used by	element	<a href="#">campaign-finance-transactions</a>				
attributes	Name <a href="#">id</a>	Type <b>derived by:</b> <b>xs:string</b>	Use required	Default	Fixed	annotation
annotation	documentation Individuals, Businesses or Committees that have donated to, been paid by or have a reportable connection with the committee.					
source	<pre> &lt;xs:element name="contact"&gt;   &lt;xs:annotation&gt;     &lt;xs:documentation&gt; Individuals, Businesses or Committees that have donated to, been paid by or have a reportable connection with the committee.&lt;/xs:documentation&gt;   &lt;/xs:annotation&gt;   &lt;xs:complexType&gt;     &lt;xs:sequence&gt;       &lt;xs:element name="type"&gt;         &lt;xs:annotation&gt;           &lt;xs:documentation&gt;Type of contact.&lt;/xs:documentation&gt;         &lt;/xs:annotation&gt;         &lt;xs:simpleType&gt;           &lt;xs:restriction base="xs:string"&gt;             &lt;xs:enumeration value="B"/&gt;             &lt;xs:enumeration value="C"/&gt;             &lt;xs:enumeration value="F"/&gt;             &lt;xs:enumeration value="I"/&gt;             &lt;xs:enumeration value="L"/&gt;             &lt;xs:enumeration value="O"/&gt;             &lt;xs:enumeration value="P"/&gt;           &lt;/xs:restriction&gt;         &lt;/xs:simpleType&gt;       &lt;/xs:element&gt;     &lt;/xs:sequence&gt;   &lt;/xs:complexType&gt; &lt;/xs:element&gt; </pre>					

```


<xs:element ref="contact-name"/>
<xs:element ref="address" minOccurs="0"/>
<xs:element ref="phone" minOccurs="0">
  <xs:annotation>
    <xs:documentation>The phone numbers for the contact.</xs:documentation>
  </xs:annotation>
</xs:element>
<xs:element name="email" minOccurs="0">
  <xs:annotation>
    <xs:documentation>This is the E-Mail address for the contact</xs:documentation>
  </xs:annotation>
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="60"/>
      <xs:pattern value=".+@.[.]+"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="occupation" minOccurs="0">
  <xs:annotation>
    <xs:documentation>Nature of an individual's primary job or business.</xs:documentation>
  </xs:annotation>
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="100"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element ref="employment" minOccurs="0"/>
</xs:sequence>
<xs:attribute name="id" use="required">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:minLength value="1"/>
      <xs:maxLength value="30"/>
    </xs:restriction>
  </xs:simpleType>
</xs:attribute>
</xs:complexType>
</xs:element>

```


#### attribute **contact/@id**

type	restriction of <b>xs:string</b>
properties	isRef 0 use required
facets	minLength 1 maxLength 30
source	<pre> &lt;xs:attribute name="id" use="required"&gt;   &lt;xs:simpleType&gt;     &lt;xs:restriction base="xs:string"&gt;       &lt;xs:minLength value="1"/&gt;       &lt;xs:maxLength value="30"/&gt;     &lt;/xs:restriction&gt;   &lt;/xs:simpleType&gt; &lt;/xs:attribute&gt; </pre>


## element **contact/type**

diagram	 <p>Type of contact.</p>
namespace	http://www.us.or
type	restriction of <b>xs:string</b>
properties	isRef 0 content simple
facets	enumeration B enumeration C enumeration F enumeration I enumeration L enumeration O enumeration P
annotation	documentation Type of contact.
source	<pre>&lt;xs:element name="type"&gt;   &lt;xs:annotation&gt;     &lt;xs:documentation&gt;Type of contact.&lt;/xs:documentation&gt;   &lt;/xs:annotation&gt;   &lt;xs:simpleType&gt;     &lt;xs:restriction base="xs:string"&gt;       &lt;xs:enumeration value="B"/&gt;       &lt;xs:enumeration value="C"/&gt;       &lt;xs:enumeration value="F"/&gt;       &lt;xs:enumeration value="I"/&gt;       &lt;xs:enumeration value="L"/&gt;       &lt;xs:enumeration value="O"/&gt;       &lt;xs:enumeration value="P"/&gt;     &lt;/xs:restriction&gt;   &lt;/xs:simpleType&gt; &lt;/xs:element&gt;</pre>


## element **contact/email**

diagram	 <p>This is the E-Mail address for the contact</p>
namespace	http://www.us.or
type	restriction of <b>xs:string</b>
properties	isRef 0 minOcc 0 maxOcc 1 content simple
facets	maxLength 60 pattern .+@.+[.].+>
annotation	documentation This is the E-Mail address for the contact
source	<pre>&lt;xs:element name="email" minOccurs="0"&gt;   &lt;xs:annotation&gt;     &lt;xs:documentation&gt;This is the E-Mail address for the contact&lt;/xs:documentation&gt;   &lt;/xs:annotation&gt;   &lt;xs:simpleType&gt;     &lt;xs:restriction base="xs:string"&gt;       &lt;xs:maxLength value="60"/&gt;       &lt;xs:pattern value=".+@.+[.].+&gt;/&gt;     &lt;/xs:restriction&gt;   &lt;/xs:simpleType&gt; &lt;/xs:element&gt;</pre>

### element **contact/occupation**

diagram	 <p>Nature of an individual's primary job or business.</p>
namespace	http://www.us.or
type	restriction of <b>xs:string</b>
properties	isRef 0 minOcc 0 maxOcc 1 content simple
facets	maxLength 100
annotation	documentation Nature of an individual's primary job or business.
source	<pre> &lt;xs:element name="occupation" minOccurs="0"&gt;   &lt;xs:annotation&gt;     &lt;xs:documentation&gt;Nature of an individual's primary job or business.&lt;/xs:documentation&gt;   &lt;/xs:annotation&gt;   &lt;xs:simpleType&gt;     &lt;xs:restriction base="xs:string"&gt;       &lt;xs:maxLength value="100"/&gt;     &lt;/xs:restriction&gt;   &lt;/xs:simpleType&gt; &lt;/xs:element&gt;           </pre>

### element **contact-name**

diagram	 <p>The business or organization name.</p> <p>The committee number for a state registered committee or the committee name for non-state registered committee.</p>
namespace	http://www.us.or
properties	content complex
children	<a href="#">individual-name</a> <a href="#">business-name</a> <a href="#">committee</a>
used by	element <a href="#">contact</a>
source	<pre> &lt;xs:element name="contact-name"&gt;   &lt;xs:complexType&gt;     &lt;xs:choice&gt;       &lt;xs:element ref="individual-name"/&gt;       &lt;xs:sequence&gt;         &lt;xs:element name="business-name"&gt;           &lt;xs:annotation&gt;             &lt;xs:documentation&gt;The business or organization name.&lt;/xs:documentation&gt;           &lt;/xs:annotation&gt;         &lt;/xs:element&gt;       &lt;/xs:sequence&gt;     &lt;/xs:choice&gt;   &lt;/xs:complexType&gt;   &lt;xs:restriction base="xs:string"&gt;     &lt;xs:maxLength value="60"/&gt;   &lt;/xs:restriction&gt; &lt;/xs:element&gt;           </pre>

	<pre> &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt; &lt;/xs:element&gt; &lt;xs:element ref="individual-name" minOccurs="0"/&gt; &lt;/xs:sequence&gt; &lt;xs:element name="committee"&gt;   &lt;xs:annotation&gt;     &lt;xs:documentation&gt;The committee number for a state registered committee or the committee name for non-state registered committee.&lt;/xs:documentation&gt;   &lt;/xs:annotation&gt;   &lt;xs:complexType&gt;     &lt;xs:choice&gt;       &lt;xs:element name="id" type="xs:positiveInteger"&gt;         &lt;xs:annotation&gt;           &lt;xs:documentation&gt;Committee ID&lt;/xs:documentation&gt;         &lt;/xs:annotation&gt;       &lt;/xs:element&gt;       &lt;xs:element name="name"&gt;         &lt;xs:annotation&gt;           &lt;xs:documentation&gt;Committee Name&lt;/xs:documentation&gt;         &lt;/xs:annotation&gt;         &lt;xs:simpleType&gt;           &lt;xs:restriction base="xs:string"&gt;             &lt;xs:maxLength value="80"/&gt;           &lt;/xs:restriction&gt;         &lt;/xs:simpleType&gt;       &lt;/xs:element&gt;     &lt;/xs:choice&gt;   &lt;/xs:complexType&gt; &lt;/xs:element&gt; &lt;/xs:choice&gt; &lt;/xs:complexType&gt; &lt;/xs:element&gt; </pre>
--	---

#### element **contact-name/business-name**

diagram	 <p>The business or organization name.</p>
namespace	http://www.us.or
type	restriction of <b>xs:string</b>
properties	isRef 0 content simple
facets	maxLength 60
annotation	documentation The business or organization name.
source	<pre> &lt;xs:element name="business-name"&gt;   &lt;xs:annotation&gt;     &lt;xs:documentation&gt;The business or organization name.&lt;/xs:documentation&gt;   &lt;/xs:annotation&gt;   &lt;xs:simpleType&gt;     &lt;xs:restriction base="xs:string"&gt;       &lt;xs:maxLength value="60"/&gt;     &lt;/xs:restriction&gt;   &lt;/xs:simpleType&gt; &lt;/xs:element&gt; </pre>


element **contact-name/committee**

diagram	<p>The committee number for a state registered committee or the committee name for non-state registered committee.</p>
namespace	http://www.us.or
properties	isRef 0 content complex
children	<a href="#">id</a> <a href="#">name</a>
annotation	documentation The committee number for a state registered committee or the committee name for non-state registered committee.
source	<pre> &lt;xs:element name="committee"&gt;   &lt;xs:annotation&gt;     &lt;xs:documentation&gt;The committee number for a state registered committee or the committee name for non-state registered committee.&lt;/xs:documentation&gt;   &lt;/xs:annotation&gt;   &lt;xs:complexType&gt;     &lt;xs:choice&gt;       &lt;xs:element name="id" type="xs:positiveInteger"&gt;         &lt;xs:annotation&gt;           &lt;xs:documentation&gt;Committee ID&lt;/xs:documentation&gt;         &lt;/xs:annotation&gt;       &lt;/xs:element&gt;       &lt;xs:element name="name"&gt;         &lt;xs:annotation&gt;           &lt;xs:documentation&gt;Committee Name&lt;/xs:documentation&gt;         &lt;/xs:annotation&gt;         &lt;xs:simpleType&gt;           &lt;xs:restriction base="xs:string"&gt;             &lt;xs:maxLength value="80"/&gt;           &lt;/xs:restriction&gt;         &lt;/xs:simpleType&gt;       &lt;/xs:element&gt;     &lt;/xs:choice&gt;   &lt;/xs:complexType&gt; &lt;/xs:element&gt; </pre>


element **contact-name/committee/id**

diagram	
namespace	http://www.us.or
type	<b>xs:positiveInteger</b>
properties	isRef 0 content simple
annotation	documentation Committee ID
source	<pre> &lt;xs:element name="id" type="xs:positiveInteger"&gt;   &lt;xs:annotation&gt;     &lt;xs:documentation&gt;Committee ID&lt;/xs:documentation&gt;   &lt;/xs:annotation&gt; &lt;/xs:element&gt; </pre>

### element **contact-name/committee/name**

diagram	 <p>Committee Name</p>
namespace	http://www.us.or
type	restriction of <b>xs:string</b>
properties	isRef 0 content simple
facets	maxLength 80
annotation	documentation Committee Name
source	<pre>&lt;xs:element name="name"&gt;   &lt;xs:annotation&gt;     &lt;xs:documentation&gt;Committee Name&lt;/xs:documentation&gt;   &lt;/xs:annotation&gt;   &lt;xs:simpleType&gt;     &lt;xs:restriction base="xs:string"&gt;       &lt;xs:maxLength value="80"/&gt;     &lt;/xs:restriction&gt;   &lt;/xs:simpleType&gt; &lt;/xs:element&gt;</pre>

### element **address**


diagram	
namespace	http://www.us.or
properties	content complex
children	<a href="#">street1</a> <a href="#">street2</a> <a href="#">city</a> <a href="#">state</a> <a href="#">zip</a> <a href="#">zip-plus4</a> <a href="#">county</a>
used by	element <a href="#">contact</a>
source	<pre>&lt;xs:element name="address"&gt;   &lt;xs:complexType&gt;     &lt;xs:sequence&gt;       &lt;xs:element name="street1" minOccurs="0"&gt;         &lt;xs:annotation&gt;           &lt;xs:documentation&gt;First Line of the address&lt;/xs:documentation&gt;         &lt;/xs:annotation&gt;       &lt;/xs:element&gt;     &lt;/xs:sequence&gt;   &lt;/xs:complexType&gt; &lt;/xs:element&gt;</pre>

```


    <xs:restriction base="xs:string">
      <xs:maxLength value="40"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="street2" minOccurs="0">
  <xs:annotation>
    <xs:documentation>Second line of the address</xs:documentation>
  </xs:annotation>
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="40"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="city" minOccurs="0">
  <xs:annotation>
    <xs:documentation> </xs:documentation>
  </xs:annotation>
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="30"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="state" minOccurs="0">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:length value="2"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="zip" minOccurs="0">
  <xs:simpleType>
    <xs:restriction base="xs:integer">
      <xs:totalDigits value="5"/>
      <xs:pattern value="\d{5}"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="zip-plus4" minOccurs="0">
  <xs:simpleType>
    <xs:restriction base="xs:integer">
      <xs:totalDigits value="4"/>
      <xs:pattern value="\d{4}"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="county" minOccurs="0">
  <xs:annotation>
    <xs:documentation>The county where a payee is located, if not located in a
city.</xs:documentation>
  </xs:annotation>
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="30"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
</xs:sequence>
</xs:complexType>
</xs:element>

```


### element address/street1

diagram	 <p>First Line of the address</p>
namespace	http://www.us.or
type	restriction of <b>xs:string</b>
properties	isRef 0 minOcc 0 maxOcc 1 content simple
facets	maxLength 40
annotation	documentation First Line of the address
source	<pre> &lt;xs:element name="street1" minOccurs="0"&gt;   &lt;xs:annotation&gt;     &lt;xs:documentation&gt;First Line of the address&lt;/xs:documentation&gt;   &lt;/xs:annotation&gt;   &lt;xs:simpleType&gt;     &lt;xs:restriction base="xs:string"&gt;       &lt;xs:maxLength value="40"/&gt;     &lt;/xs:restriction&gt;   &lt;/xs:simpleType&gt; &lt;/xs:element&gt;           </pre>

### element address/street2


diagram	 <p>Second line of the address</p>
namespace	http://www.us.or
type	restriction of <b>xs:string</b>
properties	isRef 0 minOcc 0 maxOcc 1 content simple
facets	maxLength 40
annotation	documentation Second line of the address
source	<pre> &lt;xs:element name="street2" minOccurs="0"&gt;   &lt;xs:annotation&gt;     &lt;xs:documentation&gt;Second line of the address&lt;/xs:documentation&gt;   &lt;/xs:annotation&gt;   &lt;xs:simpleType&gt;     &lt;xs:restriction base="xs:string"&gt;       &lt;xs:maxLength value="40"/&gt;     &lt;/xs:restriction&gt;   &lt;/xs:simpleType&gt; &lt;/xs:element&gt;           </pre>

### element address/city


diagram	
namespace	http://www.us.or
type	restriction of <b>xs:string</b>

properties	isRef 0 minOcc 0 maxOcc 1 content simple
facets	maxLength 30
annotation	documentation
source	<pre>&lt;xs:element name="city" minOccurs="0"&gt;   &lt;xs:annotation&gt;     &lt;xs:documentation&gt; &lt;/xs:documentation&gt;   &lt;/xs:annotation&gt;   &lt;xs:simpleType&gt;     &lt;xs:restriction base="xs:string"&gt;       &lt;xs:maxLength value="30"/&gt;     &lt;/xs:restriction&gt;   &lt;/xs:simpleType&gt; &lt;/xs:element&gt;</pre>


### element address/state

diagram	
namespace	http://www.us.or
type	restriction of <b>xs:string</b>
properties	isRef 0 minOcc 0 maxOcc 1 content simple
facets	length 2
source	<pre>&lt;xs:element name="state" minOccurs="0"&gt;   &lt;xs:simpleType&gt;     &lt;xs:restriction base="xs:string"&gt;       &lt;xs:length value="2"/&gt;     &lt;/xs:restriction&gt;   &lt;/xs:simpleType&gt; &lt;/xs:element&gt;</pre>


### element address/zip

diagram	
namespace	http://www.us.or
type	restriction of <b>xs:integer</b>
properties	isRef 0 minOcc 0 maxOcc 1 content simple
facets	totalDigits 5 pattern \d{5}
source	<pre>&lt;xs:element name="zip" minOccurs="0"&gt;   &lt;xs:simpleType&gt;     &lt;xs:restriction base="xs:integer"&gt;       &lt;xs:totalDigits value="5"/&gt;       &lt;xs:pattern value="\d{5}"/&gt;     &lt;/xs:restriction&gt;   &lt;/xs:simpleType&gt; &lt;/xs:element&gt;</pre>


### element address/zip-plus4

diagram	
namespace	http://www.us.or
type	restriction of <b>xs:integer</b>
properties	isRef 0 minOcc 0 maxOcc 1 content simple
facets	totalDigits 4 pattern \d{4}
source	<pre>&lt;xs:element name="zip-plus4" minOccurs="0"&gt;   &lt;xs:simpleType&gt;     &lt;xs:restriction base="xs:integer"&gt;       &lt;xs:totalDigits value="4"/&gt;       &lt;xs:pattern value="\d{4}"/&gt;     &lt;/xs:restriction&gt;   &lt;/xs:simpleType&gt; &lt;/xs:element&gt;</pre>

### element address/county

diagram	 <p>The county where a payee is located, if not located in a city.</p>
namespace	http://www.us.or
type	restriction of <b>xs:string</b>
properties	isRef 0 minOcc 0 maxOcc 1 content simple
facets	maxLength 30
annotation	documentation The county where a payee is located, if not located in a city.
source	<pre>&lt;xs:element name="county" minOccurs="0"&gt;   &lt;xs:annotation&gt;     &lt;xs:documentation&gt;The county where a payee is located, if not located in a city.&lt;/xs:documentation&gt;   &lt;/xs:annotation&gt;   &lt;xs:simpleType&gt;     &lt;xs:restriction base="xs:string"&gt;       &lt;xs:maxLength value="30"/&gt;     &lt;/xs:restriction&gt;   &lt;/xs:simpleType&gt; &lt;/xs:element&gt;</pre>

### element amount

diagram	
namespace	http://www.us.or
type	restriction of <b>xs:double</b>
properties	content simple
used by	elements <a href="#">cosigner expend-for transaction</a>

facets	minInclusive 0
source	<pre>&lt;xs:element name="amount"&gt;   &lt;xs:simpleType&gt;     &lt;xs:restriction base="xs:double"&gt;       &lt;xs:minInclusive value="0"/&gt;     &lt;/xs:restriction&gt;   &lt;/xs:simpleType&gt; &lt;/xs:element&gt;</pre>

### element associated-tran


diagram	
namespace	http://www.us.or
properties	content complex
children	<a href="#">id</a> <a href="#">complete</a>
used by	element <a href="#">transaction</a>
source	<pre>&lt;xs:element name="associated-tran"&gt;   &lt;xs:complexType&gt;     &lt;xs:sequence&gt;       &lt;xs:element name="id"&gt;         &lt;xs:simpleType&gt;           &lt;xs:restriction base="xs:string"&gt;             &lt;xs:minLength value="1"/&gt;             &lt;xs:maxLength value="30"/&gt;           &lt;/xs:restriction&gt;         &lt;/xs:simpleType&gt;       &lt;/xs:element&gt;       &lt;xs:element name="complete"&gt;         &lt;xs:simpleType&gt;           &lt;xs:restriction base="xs:string"&gt;             &lt;xs:enumeration value="Y"/&gt;             &lt;xs:enumeration value="N"/&gt;           &lt;/xs:restriction&gt;         &lt;/xs:simpleType&gt;       &lt;/xs:element&gt;     &lt;/xs:sequence&gt;   &lt;/xs:complexType&gt; &lt;/xs:element&gt;</pre>

### element associated-tran/id


diagram	
namespace	http://www.us.or
type	restriction of <b>xs:string</b>
properties	isRef 0 content simple
facets	minLength 1 maxLength 30
source	<pre>&lt;xs:element name="id"&gt;   &lt;xs:simpleType&gt;     &lt;xs:restriction base="xs:string"&gt;</pre>

	<pre> &lt;xs:minLength value="1"/&gt; &lt;xs:maxLength value="30"/&gt; &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt; &lt;/xs:element&gt; </pre>
--	--


### element associated-tran/complete

diagram	
namespace	http://www.us.or
type	restriction of <b>xs:string</b>
properties	isRef 0 content simple
facets	enumeration Y enumeration N
source	<pre> &lt;xs:element name="complete"&gt;   &lt;xs:simpleType&gt;     &lt;xs:restriction base="xs:string"&gt;       &lt;xs:enumeration value="Y"/&gt;       &lt;xs:enumeration value="N"/&gt;     &lt;/xs:restriction&gt;   &lt;/xs:simpleType&gt; &lt;/xs:element&gt; </pre>

### element cosigner

diagram	
namespace	http://www.us.or
properties	content complex
children	<a href="#">contact-id</a> <a href="#">amount</a>
used by	element <a href="#">transaction</a>
source	<pre> &lt;xs:element name="cosigner"&gt;   &lt;xs:complexType&gt;     &lt;xs:sequence&gt;       &lt;xs:element name="contact-id"&gt;         &lt;xs:simpleType&gt;           &lt;xs:restriction base="xs:string"&gt;             &lt;xs:minLength value="1"/&gt;             &lt;xs:maxLength value="30"/&gt;           &lt;/xs:restriction&gt;         &lt;/xs:simpleType&gt;       &lt;/xs:element&gt;       &lt;xs:element ref="amount"/&gt;     &lt;/xs:sequence&gt;   &lt;/xs:complexType&gt; &lt;/xs:element&gt; </pre>

## element cosigner/contact-id


diagram	
namespace	http://www.us.or
type	restriction of <b>xs:string</b>
properties	isRef 0 content simple
facets	minLength 1 maxLength 30
source	<pre> &lt;xs:element name="contact-id"&gt;   &lt;xs:simpleType&gt;     &lt;xs:restriction base="xs:string"&gt;       &lt;xs:minLength value="1"/&gt;       &lt;xs:maxLength value="30"/&gt;     &lt;/xs:restriction&gt;   &lt;/xs:simpleType&gt; &lt;/xs:element&gt; </pre>

## element employment


diagram	
namespace	http://www.us.or
properties	content complex
children	<a href="#">not-employed</a> <a href="#">self-employed</a> <a href="#">employer-name</a> <a href="#">city</a> <a href="#">state</a>
used by	element <a href="#">contact</a>
source	<pre> &lt;xs:element name="employment"&gt;   &lt;xs:complexType&gt;     &lt;xs:choice&gt;       &lt;xs:element name="not-employed" type="xs:string" fixed="Yes"&gt;         &lt;xs:annotation&gt;           &lt;xs:documentation&gt;Identifies the contact as not employed.&lt;/xs:documentation&gt;         &lt;/xs:annotation&gt;       &lt;/xs:element&gt;       &lt;xs:element name="self-employed" type="xs:string" fixed="Yes"&gt;         &lt;xs:annotation&gt;           &lt;xs:documentation&gt;Identifies the contact as self-employed.&lt;/xs:documentation&gt;         &lt;/xs:annotation&gt;       &lt;/xs:element&gt;       &lt;xs:group base="xs:group" use="required"&gt;         &lt;xs:element name="employer-name" type="xs:string"&gt;           &lt;xs:annotation&gt;             &lt;xs:documentation&gt;The name of the individuals employer&lt;/xs:documentation&gt;           &lt;/xs:annotation&gt;         &lt;/xs:element&gt;         &lt;xs:element name="city" type="xs:string"&gt;           &lt;xs:annotation&gt;             &lt;xs:documentation&gt;The city where the employer is located.&lt;/xs:documentation&gt;           &lt;/xs:annotation&gt;         &lt;/xs:element&gt;         &lt;xs:element name="state" type="xs:string"&gt;           &lt;xs:annotation&gt;             &lt;xs:documentation&gt;The state where the employer is located.&lt;/xs:documentation&gt;           &lt;/xs:annotation&gt;         &lt;/xs:element&gt;       &lt;/xs:group&gt;     &lt;/xs:choice&gt;   &lt;/xs:complexType&gt; &lt;/xs:element&gt; </pre>

	<pre> &lt;xs:sequence&gt;   &lt;xs:element name="employer-name"&gt;     &lt;xs:annotation&gt;       &lt;xs:documentation&gt;The name of the individuals employer&lt;/xs:documentation&gt;     &lt;/xs:annotation&gt;     &lt;xs:simpleType&gt;       &lt;xs:restriction base="xs:string"&gt;         &lt;xs:maxLength value="80"/&gt;       &lt;/xs:restriction&gt;     &lt;/xs:simpleType&gt;   &lt;/xs:element&gt;   &lt;xs:element name="city"&gt;     &lt;xs:annotation&gt;       &lt;xs:documentation&gt;The city where the employer is located.&lt;/xs:documentation&gt;     &lt;/xs:annotation&gt;     &lt;xs:simpleType&gt;       &lt;xs:restriction base="xs:string"&gt;         &lt;xs:maxLength value="40"/&gt;       &lt;/xs:restriction&gt;     &lt;/xs:simpleType&gt;   &lt;/xs:element&gt;   &lt;xs:element name="state"&gt;     &lt;xs:annotation&gt;       &lt;xs:documentation&gt;The state where the employer is located.&lt;/xs:documentation&gt;     &lt;/xs:annotation&gt;     &lt;xs:simpleType&gt;       &lt;xs:restriction base="xs:string"&gt;         &lt;xs:length value="2"/&gt;       &lt;/xs:restriction&gt;     &lt;/xs:simpleType&gt;   &lt;/xs:element&gt; &lt;/xs:sequence&gt; &lt;/xs:choice&gt; &lt;/xs:complexType&gt; &lt;/xs:element&gt; </pre>
--	---


### element **employment/not-employed**

diagram	 <p>Identifies the contact as not employed.</p>						
namespace	http://www.us.or						
type	<b>xs:string</b>						
properties	<table> <tr> <td>isRef</td> <td>0</td> </tr> <tr> <td>content</td> <td>simple</td> </tr> <tr> <td>fixed</td> <td>Yes</td> </tr> </table>	isRef	0	content	simple	fixed	Yes
isRef	0						
content	simple						
fixed	Yes						
annotation	<p>documentation</p> <p>Identifies the contact as not employed.</p>						
source	<pre> &lt;xs:element name="not-employed" type="xs:string" fixed="Yes"&gt;   &lt;xs:annotation&gt;     &lt;xs:documentation&gt;Identifies the contact as not employed.&lt;/xs:documentation&gt;   &lt;/xs:annotation&gt; &lt;/xs:element&gt; </pre>						


### element **employment/self-employed**

diagram	 <p>Identifies the contact as self-employed.</p>
namespace	http://www.us.or
type	<b>xs:string</b>
properties	isRef 0 content simple fixed Yes
annotation	documentation Identifies the contact as self-employed.
source	<pre>&lt;xs:element name="self-employed" type="xs:string" fixed="Yes"&gt;   &lt;xs:annotation&gt;     &lt;xs:documentation&gt;Identifies the contact as self-employed.&lt;/xs:documentation&gt;   &lt;/xs:annotation&gt; &lt;/xs:element&gt;</pre>

### element **employment/employer-name**


diagram	 <p>The name of the individuals employer</p>
namespace	http://www.us.or
type	restriction of <b>xs:string</b>
properties	isRef 0 content simple
facets	maxLength 80
annotation	documentation The name of the individuals employer
source	<pre>&lt;xs:element name="employer-name"&gt;   &lt;xs:annotation&gt;     &lt;xs:documentation&gt;The name of the individuals employer&lt;/xs:documentation&gt;   &lt;/xs:annotation&gt;   &lt;xs:simpleType&gt;     &lt;xs:restriction base="xs:string"&gt;       &lt;xs:maxLength value="80"/&gt;     &lt;/xs:restriction&gt;   &lt;/xs:simpleType&gt; &lt;/xs:element&gt;</pre>

### element **employment/city**


diagram	 <p>The city where the employer is located.</p>
namespace	http://www.us.or
type	restriction of <b>xs:string</b>
properties	isRef 0 content simple
facets	maxLength 40
annotation	documentation The city where the employer is located.
source	<pre>&lt;xs:element name="city"&gt;   &lt;xs:annotation&gt;</pre>

	<pre> &lt;xs:documentation&gt;The city where the employer is located.&lt;/xs:documentation&gt; &lt;/xs:annotation&gt; &lt;xs:simpleType&gt;   &lt;xs:restriction base="xs:string"&gt;     &lt;xs:maxLength value="40"/&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt; &lt;/xs:element&gt; </pre>
--	--

### element **employment/state**


diagram	
namespace	http://www.us.or
type	restriction of <b>xs:string</b>
properties	isRef 0 content simple
facets	length 2
annotation	documentation The state where the employer is located.
source	<pre> &lt;xs:element name="state"&gt;   &lt;xs:annotation&gt;     &lt;xs:documentation&gt;The state where the employer is located.&lt;/xs:documentation&gt;   &lt;/xs:annotation&gt;   &lt;xs:simpleType&gt;     &lt;xs:restriction base="xs:string"&gt;       &lt;xs:length value="2"/&gt;     &lt;/xs:restriction&gt;   &lt;/xs:simpleType&gt; &lt;/xs:element&gt; </pre>

### element **expend-for**


diagram	
namespace	http://www.us.or
properties	content complex
children	<a href="#">committee-id</a> <a href="#">committee-name</a> <a href="#">amount</a> <a href="#">expend-ind</a>
used by	element <a href="#">transaction</a>
source	<pre> &lt;xs:element name="expend-for"&gt;   &lt;xs:complexType&gt;     &lt;xs:sequence&gt;       &lt;xs:choice&gt;         &lt;xs:element name="committee-id" type="xs:positiveInteger"/&gt;         &lt;xs:element name="committee-name"&gt;           &lt;xs:simpleType&gt;             &lt;xs:restriction base="xs:string"&gt;               &lt;xs:maxLength value="80"/&gt;             &lt;/xs:restriction&gt;           &lt;/xs:simpleType&gt;         &lt;/xs:element&gt;       &lt;/xs:choice&gt;     &lt;/xs:sequence&gt;   &lt;/xs:complexType&gt; &lt;/xs:element&gt; </pre>

	<pre> &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt; &lt;/xs:element&gt; &lt;/xs:choice&gt; &lt;xs:element ref="amount"/&gt; &lt;xs:element name="expend-ind"&gt;   &lt;xs:simpleType&gt;     &lt;xs:restriction base="xs:string"&gt;       &lt;xs:enumeration value="I"/&gt;       &lt;xs:enumeration value="K"/&gt;     &lt;/xs:restriction&gt;   &lt;/xs:simpleType&gt; &lt;/xs:element&gt; &lt;/xs:sequence&gt; &lt;/xs:complexType&gt; &lt;/xs:element&gt; </pre>
--	--


### element **expend-for/committee-id**

diagram	
namespace	http://www.us.or
type	<b>xs:positiveInteger</b>
properties	isRef 0 content simple
source	<code>&lt;xs:element name="committee-id" type="xs:positiveInteger"/&gt;</code>

### element **expend-for/committee-name**

diagram	
namespace	http://www.us.or
type	restriction of <b>xs:string</b>
properties	isRef 0 content simple
facets	maxLength 80
source	<pre> &lt;xs:element name="committee-name"&gt;   &lt;xs:simpleType&gt;     &lt;xs:restriction base="xs:string"&gt;       &lt;xs:maxLength value="80"/&gt;     &lt;/xs:restriction&gt;   &lt;/xs:simpleType&gt; &lt;/xs:element&gt; </pre>

### element **expend-for/expend-ind**

diagram	
namespace	http://www.us.or
type	restriction of <b>xs:string</b>
properties	isRef 0 content simple
facets	enumeration I enumeration K
source	<code>&lt;xs:element name="expend-ind"&gt;</code>


```

<xs:simpleType>
  <xs:restriction base="xs:string">
    <xs:enumeration value="I"/>
    <xs:enumeration value="K"/>
  </xs:restriction>
</xs:simpleType>
</xs:element>

```

### element individual-name

diagram



namespace <http://www.us.or>

properties content complex

children [prefix](#) [first](#) [middle](#) [last](#) [suffix](#) [title](#)

used by elements [contact-name](#) [contact-name](#)

source


```

<xs:element name="individual-name">
  <xs:complexType>
    <xs:sequence>
      <xs:element name="prefix" minOccurs="0">
        <xs:simpleType>
          <xs:restriction base="xs:string">
            <xs:maxLength value="3"/>
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element name="first">
        <xs:simpleType>
          <xs:restriction base="xs:string">
            <xs:maxLength value="20"/>
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element name="middle" minOccurs="0">
        <xs:simpleType>
          <xs:restriction base="xs:string">
            <xs:maxLength value="20"/>
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
      <xs:element name="last">
        <xs:simpleType>
          <xs:restriction base="xs:string">
            <xs:maxLength value="20"/>
          </xs:restriction>
        </xs:simpleType>
      </xs:element>
    </xs:sequence>
  </xs:complexType>
</xs:element>


```

	<pre> &lt;xs:element name="suffix" minOccurs="0"&gt;   &lt;xs:simpleType&gt;     &lt;xs:restriction base="xs:string"&gt;       &lt;xs:maxLength value="3"/&gt;     &lt;/xs:restriction&gt;   &lt;/xs:simpleType&gt; &lt;/xs:element&gt; &lt;xs:element name="title" minOccurs="0"&gt;   &lt;xs:annotation&gt;     &lt;xs:documentation&gt;The contacts working title&lt;/xs:documentation&gt;   &lt;/xs:annotation&gt;   &lt;xs:simpleType&gt;     &lt;xs:restriction base="xs:string"&gt;       &lt;xs:maxLength value="20"/&gt;     &lt;/xs:restriction&gt;   &lt;/xs:simpleType&gt; &lt;/xs:element&gt; &lt;/xs:sequence&gt; &lt;/xs:complexType&gt; &lt;/xs:element&gt; </pre>
--	--


### element individual-name/prefix

diagram									
namespace	http://www.us.or								
type	restriction of <b>xs:string</b>								
properties	<table border="0"> <tr><td>isRef</td><td>0</td></tr> <tr><td>minOcc</td><td>0</td></tr> <tr><td>maxOcc</td><td>1</td></tr> <tr><td>content</td><td>simple</td></tr> </table>	isRef	0	minOcc	0	maxOcc	1	content	simple
isRef	0								
minOcc	0								
maxOcc	1								
content	simple								
facets	<table border="0"> <tr><td>maxLength</td><td>3</td></tr> </table>	maxLength	3						
maxLength	3								
source	<pre> &lt;xs:element name="prefix" minOccurs="0"&gt;   &lt;xs:simpleType&gt;     &lt;xs:restriction base="xs:string"&gt;       &lt;xs:maxLength value="3"/&gt;     &lt;/xs:restriction&gt;   &lt;/xs:simpleType&gt; &lt;/xs:element&gt; </pre>								


### element individual-name/first

diagram					
namespace	http://www.us.or				
type	restriction of <b>xs:string</b>				
properties	<table border="0"> <tr><td>isRef</td><td>0</td></tr> <tr><td>content</td><td>simple</td></tr> </table>	isRef	0	content	simple
isRef	0				
content	simple				
facets	<table border="0"> <tr><td>maxLength</td><td>20</td></tr> </table>	maxLength	20		
maxLength	20				
source	<pre> &lt;xs:element name="first"&gt;   &lt;xs:simpleType&gt;     &lt;xs:restriction base="xs:string"&gt;       &lt;xs:maxLength value="20"/&gt;     &lt;/xs:restriction&gt;   &lt;/xs:simpleType&gt; &lt;/xs:element&gt; </pre>				


### element individual-name/middle

diagram	
namespace	http://www.us.or
type	restriction of <b>xs:string</b>
properties	isRef 0 minOcc 0 maxOcc 1 content simple
facets	maxLength 20
source	<pre>&lt;xs:element name="middle" minOccurs="0"&gt;   &lt;xs:simpleType&gt;     &lt;xs:restriction base="xs:string"&gt;       &lt;xs:maxLength value="20"/&gt;     &lt;/xs:restriction&gt;   &lt;/xs:simpleType&gt; &lt;/xs:element&gt;</pre>

### element individual-name/last

diagram	
namespace	http://www.us.or
type	restriction of <b>xs:string</b>
properties	isRef 0 content simple
facets	maxLength 20
source	<pre>&lt;xs:element name="last"&gt;   &lt;xs:simpleType&gt;     &lt;xs:restriction base="xs:string"&gt;       &lt;xs:maxLength value="20"/&gt;     &lt;/xs:restriction&gt;   &lt;/xs:simpleType&gt; &lt;/xs:element&gt;</pre>

### element individual-name/suffix

diagram	
namespace	http://www.us.or
type	restriction of <b>xs:string</b>
properties	isRef 0 minOcc 0 maxOcc 1 content simple
facets	maxLength 3
source	<pre>&lt;xs:element name="suffix" minOccurs="0"&gt;   &lt;xs:simpleType&gt;     &lt;xs:restriction base="xs:string"&gt;       &lt;xs:maxLength value="3"/&gt;     &lt;/xs:restriction&gt;   &lt;/xs:simpleType&gt; &lt;/xs:element&gt;</pre>

### element individual-name/title

diagram	
namespace	http://www.us.or
type	restriction of <b>xs:string</b>
properties	isRef 0 minOcc 0 maxOcc 1 content simple
facets	maxLength 20
annotation	documentation The contacts working title
source	<pre> &lt;xs:element name="title" minOccurs="0"&gt;   &lt;xs:annotation&gt;     &lt;xs:documentation&gt;The contacts working title&lt;/xs:documentation&gt;   &lt;/xs:annotation&gt;   &lt;xs:simpleType&gt;     &lt;xs:restriction base="xs:string"&gt;       &lt;xs:maxLength value="20"/&gt;     &lt;/xs:restriction&gt;   &lt;/xs:simpleType&gt; &lt;/xs:element&gt; </pre>

### element phone


diagram	
namespace	http://www.us.or
properties	content complex
children	<a href="#">work</a> <a href="#">work-extension</a> <a href="#">home</a> <a href="#">fax</a>
used by	element <a href="#">contact</a>
annotation	documentation This is the phone number for the contact
source	<pre> &lt;xs:element name="phone"&gt;   &lt;xs:annotation&gt;     &lt;xs:documentation&gt;This is the phone number for the contact&lt;/xs:documentation&gt;   &lt;/xs:annotation&gt;   &lt;xs:complexType&gt;     &lt;xs:sequence&gt;       &lt;xs:element name="work" minOccurs="0"&gt;         &lt;xs:annotation&gt;           &lt;xs:documentation&gt;the format was \d{3}-\d{3}-\d{4}(\sExt\s[0-999999])?&lt;/xs:documentation&gt;         &lt;/xs:annotation&gt;       &lt;/xs:element&gt;     &lt;/xs:sequence&gt;   &lt;/xs:complexType&gt; &lt;/xs:element&gt; </pre>

```

<xs:restriction base="xs:string">
  <xs:minLength value="10"/>
  <xs:maxLength value="15"/>
  <xs:whiteSpace value="collapse"/>
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element name="work-extension" minOccurs="0">
  <xs:annotation>
    <xs:documentation>This is the extension number for the work phone</xs:documentation>
  </xs:annotation>
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="5"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="home" minOccurs="0">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:minLength value="10"/>
      <xs:maxLength value="15"/>
      <xs:whiteSpace value="collapse"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="fax" minOccurs="0">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:minLength value="10"/>
      <xs:maxLength value="15"/>
      <xs:whiteSpace value="collapse"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
</xs:sequence>
</xs:complexType>
</xs:element>


```

### element phone/work


diagram	 <p>the format was  <code>\d{3}-\d{3}-\d{4}(\sExt\s[0-999999])?</code></p>
namespace	http://www.us.or
type	restriction of <b>xs:string</b>
properties	isRef 0 minOcc 0 maxOcc 1 content simple
facets	minLength 10 maxLength 15 whiteSpace collapse
annotation	documentation the format was <code>\d{3}-\d{3}-\d{4}(\sExt\s[0-999999])?</code>
source	<pre> &lt;xs:element name="work" minOccurs="0"&gt;   &lt;xs:annotation&gt;     &lt;xs:documentation&gt;the format was \d{3}-\d{3}-\d{4}(\sExt\s[0-999999])?&lt;/xs:documentation&gt;   &lt;/xs:annotation&gt;   &lt;xs:simpleType&gt; </pre>

	<pre> &lt;xs:restriction base="xs:string"&gt;   &lt;xs:minLength value="10"/&gt;   &lt;xs:maxLength value="15"/&gt;   &lt;xs:whiteSpace value="collapse"/&gt; &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt; &lt;/xs:element&gt; </pre>
--	---


### element phone/work-extension

diagram									
namespace	http://www.us.or								
type	restriction of <b>xs:string</b>								
properties	<table border="0"> <tr><td>isRef</td><td>0</td></tr> <tr><td>minOcc</td><td>0</td></tr> <tr><td>maxOcc</td><td>1</td></tr> <tr><td>content</td><td>simple</td></tr> </table>	isRef	0	minOcc	0	maxOcc	1	content	simple
isRef	0								
minOcc	0								
maxOcc	1								
content	simple								
facets	<table border="0"> <tr><td>maxLength</td><td>5</td></tr> </table>	maxLength	5						
maxLength	5								
annotation	<p>documentation This is the extension number for the work phone</p>								
source	<pre> &lt;xs:element name="work-extension" minOccurs="0"&gt;   &lt;xs:annotation&gt;     &lt;xs:documentation&gt;This is the extension number for the work phone&lt;/xs:documentation&gt;   &lt;/xs:annotation&gt;   &lt;xs:simpleType&gt;     &lt;xs:restriction base="xs:string"&gt;       &lt;xs:maxLength value="5"/&gt;     &lt;/xs:restriction&gt;   &lt;/xs:simpleType&gt; &lt;/xs:element&gt; </pre>								

### element phone/home


diagram									
namespace	http://www.us.or								
type	restriction of <b>xs:string</b>								
properties	<table border="0"> <tr><td>isRef</td><td>0</td></tr> <tr><td>minOcc</td><td>0</td></tr> <tr><td>maxOcc</td><td>1</td></tr> <tr><td>content</td><td>simple</td></tr> </table>	isRef	0	minOcc	0	maxOcc	1	content	simple
isRef	0								
minOcc	0								
maxOcc	1								
content	simple								
facets	<table border="0"> <tr><td>minLength</td><td>10</td></tr> <tr><td>maxLength</td><td>15</td></tr> <tr><td>whiteSpace</td><td>collapse</td></tr> </table>	minLength	10	maxLength	15	whiteSpace	collapse		
minLength	10								
maxLength	15								
whiteSpace	collapse								
source	<pre> &lt;xs:element name="home" minOccurs="0"&gt;   &lt;xs:simpleType&gt;     &lt;xs:restriction base="xs:string"&gt;       &lt;xs:minLength value="10"/&gt;       &lt;xs:maxLength value="15"/&gt;       &lt;xs:whiteSpace value="collapse"/&gt;     &lt;/xs:restriction&gt;   &lt;/xs:simpleType&gt; &lt;/xs:element&gt; </pre>								

**element phone/fax**

diagram	
namespace	http://www.us.or
type	restriction of <b>xs:string</b>
properties	isRef 0 minOcc 0 maxOcc 1 content simple
facets	minLength 10 maxLength 15 whiteSpace collapse
source	<pre>&lt;xs:element name="fax" minOccurs="0"&gt;   &lt;xs:simpleType&gt;     &lt;xs:restriction base="xs:string"&gt;       &lt;xs:minLength value="10"/&gt;       &lt;xs:maxLength value="15"/&gt;       &lt;xs:whiteSpace value="collapse"/&gt;     &lt;/xs:restriction&gt;   &lt;/xs:simpleType&gt; &lt;/xs:element&gt;</pre>

element transaction

diagram



namespace <http://www.us.or>

properties content complex

children [operation](#) [contact-id](#) [agent-id](#) [type](#) [sub-type](#) [tran-purpose](#) [description](#) [amount](#) [aggregate-amount](#) [payment-method](#)

	<a href="#">date</a> <a href="#">check-no</a> <a href="#">interest-rate</a> <a href="#">payment-schedule</a> <a href="#">occupation-letter-date</a> <a href="#">notes</a> <a href="#">cosigner</a> <a href="#">expend-for</a> <a href="#">associated-tran</a>					
used by	element <a href="#">campaign-finance-transactions</a>					
attributes	Name <a href="#">id</a>	Type <b>derived by:</b> <b>xs:string</b>	Use required	Default	Fixed	annotation documentation vendor transaction id. This is the Uique ID for the transaction
source	<pre> &lt;xs:element name="transaction"&gt;   &lt;xs:complexType&gt;     &lt;xs:sequence&gt;       &lt;xs:element name="operation"&gt;         &lt;xs:annotation&gt;           &lt;xs:documentation&gt;The operation that the transaction is performing.&lt;/xs:documentation&gt;         &lt;/xs:annotation&gt;         &lt;xs:complexType&gt;           &lt;xs:choice&gt;             &lt;xs:element name="add" type="xs:boolean"&gt;               &lt;xs:annotation&gt;                 &lt;xs:documentation&gt;submit a transaction&lt;/xs:documentation&gt;               &lt;/xs:annotation&gt;             &lt;/xs:element&gt;             &lt;xs:element name="amend"&gt;               &lt;xs:annotation&gt;                 &lt;xs:documentation&gt;amend a pre submitted transaction.&lt;/xs:documentation&gt;               &lt;/xs:annotation&gt;               &lt;xs:complexType&gt;                 &lt;xs:simpleContent&gt;                   &lt;xs:extension base="xs:boolean"/&gt;                 &lt;/xs:simpleContent&gt;               &lt;/xs:complexType&gt;             &lt;/xs:element&gt;             &lt;xs:element name="delete"&gt;               &lt;xs:annotation&gt;                 &lt;xs:documentation&gt;delete a pre submitted transaction&lt;/xs:documentation&gt;               &lt;/xs:annotation&gt;               &lt;xs:complexType&gt;                 &lt;xs:simpleContent&gt;                   &lt;xs:extension base="xs:boolean"/&gt;                 &lt;/xs:simpleContent&gt;               &lt;/xs:complexType&gt;             &lt;/xs:element&gt;           &lt;/xs:choice&gt;         &lt;/xs:complexType&gt;       &lt;/xs:element&gt;       &lt;xs:element name="contact-id" minOccurs="0"&gt;         &lt;xs:annotation&gt;           &lt;xs:documentation&gt;payee id / contributor id&lt;/xs:documentation&gt;         &lt;/xs:annotation&gt;         &lt;xs:simpleType&gt;           &lt;xs:restriction base="xs:string"&gt;             &lt;xs:minLength value="1"/&gt;             &lt;xs:maxLength value="30"/&gt;           &lt;/xs:restriction&gt;         &lt;/xs:simpleType&gt;       &lt;/xs:element&gt;       &lt;xs:element name="agent-id" minOccurs="0"&gt;         &lt;xs:annotation&gt;           &lt;xs:documentation&gt;Agent Id from Address Book&lt;/xs:documentation&gt;         &lt;/xs:annotation&gt;         &lt;xs:simpleType&gt; </pre>					

```

<xs:restriction base="xs:string">
  <xs:minLength value="1"/>
  <xs:maxLength value="30"/>
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element name="type">
  <xs:annotation>
    <xs:documentation>The general category of the transaction.</xs:documentation>
  </xs:annotation>
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:enumeration value="C"/>
      <xs:enumeration value="E"/>
      <xs:enumeration value="OR"/>
      <xs:enumeration value="OD"/>
      <xs:enumeration value="OA"/>
      <xs:enumeration value="O"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="sub-type">
  <xs:annotation>
    <xs:documentation>The specific category of the transaction; the subtype must be related to
the type.</xs:documentation>
  </xs:annotation>
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:enumeration value="CA"/>
      <xs:enumeration value="IK"/>
      <xs:enumeration value="IKP"/>
      <xs:enumeration value="IKA"/>
      <xs:enumeration value="NLR"/>
      <xs:enumeration value="PL"/>
      <xs:enumeration value="PI"/>
      <xs:enumeration value="PC"/>
      <xs:enumeration value="ELR"/>
      <xs:enumeration value="FM"/>
      <xs:enumeration value="IN"/>
      <xs:enumeration value="OM"/>
      <xs:enumeration value="RF"/>
      <xs:enumeration value="LC"/>
      <xs:enumeration value="OR"/>
      <xs:enumeration value="AE"/>
      <xs:enumeration value="PE"/>
      <xs:enumeration value="CE"/>
      <xs:enumeration value="AP"/>
      <xs:enumeration value="NLP"/>
      <xs:enumeration value="ELP"/>
      <xs:enumeration value="NP"/>
      <xs:enumeration value="RT"/>
      <xs:enumeration value="UIP"/>
      <xs:enumeration value="UCP"/>
      <xs:enumeration value="ULP"/>
      <xs:enumeration value="NLF"/>
      <xs:enumeration value="APR"/>
      <xs:enumeration value="OMD"/>
      <xs:enumeration value="CBA"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="tran-purpose" minOccurs="0" maxOccurs="unbounded">

```

```

<xs:simpleType>
  <xs:restriction base="xs:string">
    <xs:enumeration value="A"/>
    <xs:enumeration value="B"/>
    <xs:enumeration value="C"/>
    <xs:enumeration value="E"/>
    <xs:enumeration value="F"/>
    <xs:enumeration value="G"/>
    <xs:enumeration value="I"/>
    <xs:enumeration value="L"/>
    <xs:enumeration value="M"/>
    <xs:enumeration value="N"/>
    <xs:enumeration value="O"/>
    <xs:enumeration value="P"/>
    <xs:enumeration value="R"/>
    <xs:enumeration value="S"/>
    <xs:enumeration value="T"/>
    <xs:enumeration value="U"/>
    <xs:enumeration value="W"/>
    <xs:enumeration value="Y"/>
    <xs:enumeration value="Z"/>
  </xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element name="description" minOccurs="0">
  <xs:annotation>
    <xs:documentation>A written description of the purpose of the
transaction.</xs:documentation>
  </xs:annotation>
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="200"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element ref="amount">
  <xs:annotation>
    <xs:documentation>The dollar value of the transaction.</xs:documentation>
  </xs:annotation>
</xs:element>
<xs:element name="aggregate-amount" minOccurs="0">
  <xs:annotation>
    <xs:documentation>The total amount of contributions or expenditures for a contributor or
payee.</xs:documentation>
  </xs:annotation>
  <xs:simpleType>
    <xs:restriction base="xs:double">
      <xs:minInclusive value="0"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="payment-method" minOccurs="0">
  <xs:annotation>
    <xs:documentation>The method in which payment was made.</xs:documentation>
  </xs:annotation>
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:enumeration value="CHK"/>
      <xs:enumeration value="ACH"/>
      <xs:enumeration value="EFT"/>
      <xs:enumeration value="DC"/>
      <xs:enumeration value="CC"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>

```

```

</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element name="date" type="xs:date">
  <xs:annotation>
    <xs:documentation>The date the transaction occurred. This is not the date the transaction
was entered into the system.</xs:documentation>
  </xs:annotation>
</xs:element>
<xs:element name="check-no" minOccurs="0">
  <xs:annotation>
    <xs:documentation>The number of the check.</xs:documentation>
  </xs:annotation>
  <xs:simpleType>
    <xs:restriction base="xs:integer">
      <xs:maxInclusive value="999999999999"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="interest-rate" minOccurs="0">
  <xs:annotation>
    <xs:documentation>The interest rate of the loan.</xs:documentation>
  </xs:annotation>
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="30"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="payment-schedule" minOccurs="0">
  <xs:annotation>
    <xs:documentation>The repayment schedule for the loan.</xs:documentation>
  </xs:annotation>
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="30"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="occupation-letter-date" type="xs:date" minOccurs="0">
  <xs:annotation>
    <xs:documentation>The date a letter was sent requesting a contributor's occupational
information.</xs:documentation>
  </xs:annotation>
</xs:element>
<xs:element name="notes" minOccurs="0">
  <xs:annotation>
    <xs:documentation>Additional information about the transaction.</xs:documentation>
  </xs:annotation>
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="1000"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element ref="cosigner" minOccurs="0" maxOccurs="unbounded">
  <xs:annotation>
    <xs:documentation>A person who guarantees a laon of monetary value and is considered a
contributor until the loan is paid.</xs:documentation>
  </xs:annotation>
</xs:element>
<xs:element ref="expend-for" minOccurs="0" maxOccurs="unbounded"/>

```

	<pre> &lt;xs:element ref="associated-tran" minOccurs="0" maxOccurs="unbounded"&gt;   &lt;xs:annotation&gt;     &lt;xs:documentation&gt;Identifies all transactions that are associated with this transaction and if the association completes the original transaction.&lt;/xs:documentation&gt;   &lt;/xs:annotation&gt; &lt;/xs:element&gt; &lt;/xs:sequence&gt; &lt;xs:attribute name="id" use="required"&gt;   &lt;xs:annotation&gt;     &lt;xs:documentation&gt;vendor transaction id. This is the Uique ID for the transaction&lt;/xs:documentation&gt;   &lt;/xs:annotation&gt;   &lt;xs:simpleType&gt;     &lt;xs:restriction base="xs:string"&gt;       &lt;xs:minLength value="1"/&gt;       &lt;xs:maxLength value="30"/&gt;     &lt;/xs:restriction&gt;   &lt;/xs:simpleType&gt; &lt;/xs:attribute&gt; &lt;/xs:complexType&gt; &lt;/xs:element&gt; </pre>
--	---

**attribute transaction/@id**


type	restriction of <b>xs:string</b>
properties	isRef 0 use required
facets	minLength 1 maxLength 30
annotation	documentation vendor transaction id. This is the Uique ID for the transaction
source	<pre> &lt;xs:attribute name="id" use="required"&gt;   &lt;xs:annotation&gt;     &lt;xs:documentation&gt;vendor transaction id. This is the Uique ID for the transaction&lt;/xs:documentation&gt;   &lt;/xs:annotation&gt;   &lt;xs:simpleType&gt;     &lt;xs:restriction base="xs:string"&gt;       &lt;xs:minLength value="1"/&gt;       &lt;xs:maxLength value="30"/&gt;     &lt;/xs:restriction&gt;   &lt;/xs:simpleType&gt; &lt;/xs:attribute&gt; </pre>

**element transaction/operation**


diagram	<pre> classDiagram     class operation {         "The operation that the transaction is performing."     }     class add {         "submit a transaction"     }     class amend {         "amend a pre submitted transaction."     }     class delete {         "delete a pre submitted transaction"     }     operation .. &gt; add     operation .. &gt; amend     operation .. &gt; delete </pre>
namespace	http://www.us.or
properties	isRef 0 content complex

children	<a href="#">add</a> <a href="#">amend</a> <a href="#">delete</a>
annotation	documentation The operation that the transaction is performing.
source	<pre> &lt;xs:element name="operation"&gt;   &lt;xs:annotation&gt;     &lt;xs:documentation&gt;The operation that the transaction is performing.&lt;/xs:documentation&gt;   &lt;/xs:annotation&gt;   &lt;xs:complexType&gt;     &lt;xs:choice&gt;       &lt;xs:element name="add" type="xs:boolean"&gt;         &lt;xs:annotation&gt;           &lt;xs:documentation&gt;submit a transaction&lt;/xs:documentation&gt;         &lt;/xs:annotation&gt;       &lt;/xs:element&gt;       &lt;xs:element name="amend"&gt;         &lt;xs:annotation&gt;           &lt;xs:documentation&gt;amend a pre submitted transaction.&lt;/xs:documentation&gt;         &lt;/xs:annotation&gt;         &lt;xs:complexType&gt;           &lt;xs:simpleContent&gt;             &lt;xs:extension base="xs:boolean"/&gt;           &lt;/xs:simpleContent&gt;         &lt;/xs:complexType&gt;       &lt;/xs:element&gt;       &lt;xs:element name="delete"&gt;         &lt;xs:annotation&gt;           &lt;xs:documentation&gt;delete a pre submitted transaction&lt;/xs:documentation&gt;         &lt;/xs:annotation&gt;         &lt;xs:complexType&gt;           &lt;xs:simpleContent&gt;             &lt;xs:extension base="xs:boolean"/&gt;           &lt;/xs:simpleContent&gt;         &lt;/xs:complexType&gt;       &lt;/xs:element&gt;     &lt;/xs:choice&gt;   &lt;/xs:complexType&gt; &lt;/xs:element&gt; </pre>


### element transaction/operation/add

diagram	
namespace	http://www.us.or
type	<b>xs:boolean</b>
properties	isRef 0 content simple
annotation	documentation submit a transaction
source	<pre> &lt;xs:element name="add" type="xs:boolean"&gt;   &lt;xs:annotation&gt;     &lt;xs:documentation&gt;submit a transaction&lt;/xs:documentation&gt;   &lt;/xs:annotation&gt; &lt;/xs:element&gt; </pre>


### element transaction/operation/amend

diagram	 <p>amend a pre submitted transaction.</p>
namespace	http://www.us.or
type	extension of <b>xs:boolean</b>
properties	isRef 0 content complex
annotation	documentation amend a pre submitted transaction.
source	<pre>&lt;xs:element name="amend"&gt;   &lt;xs:annotation&gt;     &lt;xs:documentation&gt;amend a pre submitted transaction.&lt;/xs:documentation&gt;   &lt;/xs:annotation&gt;   &lt;xs:complexType&gt;     &lt;xs:simpleContent&gt;       &lt;xs:extension base="xs:boolean"/&gt;     &lt;/xs:simpleContent&gt;   &lt;/xs:complexType&gt; &lt;/xs:element&gt;</pre>

### element transaction/operation/delete

diagram	 <p>delete a pre submitted transaction</p>
namespace	http://www.us.or
type	extension of <b>xs:boolean</b>
properties	isRef 0 content complex
annotation	documentation delete a pre submitted transaction
source	<pre>&lt;xs:element name="delete"&gt;   &lt;xs:annotation&gt;     &lt;xs:documentation&gt;delete a pre submitted transaction&lt;/xs:documentation&gt;   &lt;/xs:annotation&gt;   &lt;xs:complexType&gt;     &lt;xs:simpleContent&gt;       &lt;xs:extension base="xs:boolean"/&gt;     &lt;/xs:simpleContent&gt;   &lt;/xs:complexType&gt; &lt;/xs:element&gt;</pre>

### element transaction/contact-id


diagram	 <p>payee id / contributor id</p>
namespace	http://www.us.or
type	restriction of <b>xs:string</b>
properties	isRef 0 minOcc 0 maxOcc 1 content simple
facets	minLength 1 maxLength 30

annotation	documentation payee id / contributor id
source	<pre>&lt;xs:element name="contact-id" minOccurs="0"&gt;   &lt;xs:annotation&gt;     &lt;xs:documentation&gt;payee id / contributor id&lt;/xs:documentation&gt;   &lt;/xs:annotation&gt;   &lt;xs:simpleType&gt;     &lt;xs:restriction base="xs:string"&gt;       &lt;xs:minLength value="1"/&gt;       &lt;xs:maxLength value="30"/&gt;     &lt;/xs:restriction&gt;   &lt;/xs:simpleType&gt; &lt;/xs:element&gt;</pre>

### element transaction/agent-id

diagram	 <p>Agent Id from Address Book</p>								
namespace	http://www.us.or								
type	restriction of <b>xs:string</b>								
properties	<table> <tr><td>isRef</td><td>0</td></tr> <tr><td>minOcc</td><td>0</td></tr> <tr><td>maxOcc</td><td>1</td></tr> <tr><td>content</td><td>simple</td></tr> </table>	isRef	0	minOcc	0	maxOcc	1	content	simple
isRef	0								
minOcc	0								
maxOcc	1								
content	simple								
facets	<table> <tr><td>minLength</td><td>1</td></tr> <tr><td>maxLength</td><td>30</td></tr> </table>	minLength	1	maxLength	30				
minLength	1								
maxLength	30								
annotation	documentation Agent Id from Address Book								
source	<pre>&lt;xs:element name="agent-id" minOccurs="0"&gt;   &lt;xs:annotation&gt;     &lt;xs:documentation&gt;Agent Id from Address Book&lt;/xs:documentation&gt;   &lt;/xs:annotation&gt;   &lt;xs:simpleType&gt;     &lt;xs:restriction base="xs:string"&gt;       &lt;xs:minLength value="1"/&gt;       &lt;xs:maxLength value="30"/&gt;     &lt;/xs:restriction&gt;   &lt;/xs:simpleType&gt; &lt;/xs:element&gt;</pre>								

### element transaction/type

diagram	 <p>The general category of the transaction.</p>												
namespace	http://www.us.or												
type	restriction of <b>xs:string</b>												
properties	<table> <tr><td>isRef</td><td>0</td></tr> <tr><td>content</td><td>simple</td></tr> </table>	isRef	0	content	simple								
isRef	0												
content	simple												
facets	<table> <tr><td>enumeration</td><td>C</td></tr> <tr><td>enumeration</td><td>E</td></tr> <tr><td>enumeration</td><td>OR</td></tr> <tr><td>enumeration</td><td>OD</td></tr> <tr><td>enumeration</td><td>OA</td></tr> <tr><td>enumeration</td><td>O</td></tr> </table>	enumeration	C	enumeration	E	enumeration	OR	enumeration	OD	enumeration	OA	enumeration	O
enumeration	C												
enumeration	E												
enumeration	OR												
enumeration	OD												
enumeration	OA												
enumeration	O												
annotation	documentation The general category of the transaction.												
source	<pre>&lt;xs:element name="type"&gt;   &lt;xs:annotation&gt;</pre>												

	<pre> &lt;xs:documentation&gt;The general category of the transaction.&lt;/xs:documentation&gt; &lt;/xs:annotation&gt; &lt;xs:simpleType&gt;   &lt;xs:restriction base="xs:string"&gt;     &lt;xs:enumeration value="C"/&gt;     &lt;xs:enumeration value="E"/&gt;     &lt;xs:enumeration value="OR"/&gt;     &lt;xs:enumeration value="OD"/&gt;     &lt;xs:enumeration value="OA"/&gt;     &lt;xs:enumeration value="O"/&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt; &lt;/xs:element&gt; </pre>
--	---

### element transaction/sub-type


diagram	 <p>The specific category of the transaction; the subtype must be related to the type.</p>
namespace	http://www.us.or
type	restriction of <b>xs:string</b>
properties	isRef 0 content simple
facets	<pre> enumeration CA enumeration IK enumeration IKP enumeration IKA enumeration NLR enumeration PL enumeration PI enumeration PC enumeration ELR enumeration FM enumeration IN enumeration OM enumeration RF enumeration LC enumeration OR enumeration AE enumeration PE enumeration CE enumeration AP enumeration NLP enumeration ELP enumeration NP enumeration RT enumeration UIP enumeration UCP enumeration ULP enumeration NLF enumeration APR enumeration OMD enumeration CBA </pre>
annotation	documentation The specific category of the transaction; the subtype must be related to the type.
source	<pre> &lt;xs:element name="sub-type"&gt;   &lt;xs:annotation&gt;     &lt;xs:documentation&gt;The specific category of the transaction; the subtype must be related to the type.&lt;/xs:documentation&gt;   &lt;/xs:annotation&gt;   &lt;xs:simpleType&gt;     &lt;xs:restriction base="xs:string"&gt;       &lt;xs:enumeration value="CA"/&gt;       &lt;xs:enumeration value="IK"/&gt;       &lt;xs:enumeration value="IKP"/&gt; </pre>

```

<xs:enumeration value="IKA"/>
<xs:enumeration value="NLR"/>
<xs:enumeration value="PL"/>
<xs:enumeration value="PI"/>
<xs:enumeration value="PC"/>
<xs:enumeration value="ELR"/>
<xs:enumeration value="FM"/>
<xs:enumeration value="IN"/>
<xs:enumeration value="OM"/>
<xs:enumeration value="RF"/>
<xs:enumeration value="LC"/>
<xs:enumeration value="OR"/>
<xs:enumeration value="AE"/>
<xs:enumeration value="PE"/>
<xs:enumeration value="CE"/>
<xs:enumeration value="AP"/>
<xs:enumeration value="NLP"/>
<xs:enumeration value="ELP"/>
<xs:enumeration value="NP"/>
<xs:enumeration value="RT"/>
<xs:enumeration value="UIP"/>
<xs:enumeration value="UCP"/>
<xs:enumeration value="ULP"/>
<xs:enumeration value="NLF"/>
<xs:enumeration value="APR"/>
<xs:enumeration value="OMD"/>
<xs:enumeration value="CBA"/>
</xs:restriction>
</xs:simpleType>
</xs:element>


```

**element transaction/tran-purpose**


diagram	
namespace	http://www.us.or
type	restriction of <b>xs:string</b>
properties	isRef 0 minOcc 0 maxOcc unbounded content simple
facets	enumeration A enumeration B enumeration C enumeration E enumeration F enumeration G enumeration I enumeration L enumeration M enumeration N enumeration O enumeration P enumeration R enumeration S enumeration T enumeration U enumeration W enumeration Y enumeration Z
source	<xs:element name="tran-purpose" minOccurs="0" maxOccurs="unbounded"> <xs:simpleType> <xs:restriction base="xs:string">

	<pre> &lt;xs:enumeration value="A"/&gt; &lt;xs:enumeration value="B"/&gt; &lt;xs:enumeration value="C"/&gt; &lt;xs:enumeration value="E"/&gt; &lt;xs:enumeration value="F"/&gt; &lt;xs:enumeration value="G"/&gt; &lt;xs:enumeration value="I"/&gt; &lt;xs:enumeration value="L"/&gt; &lt;xs:enumeration value="M"/&gt; &lt;xs:enumeration value="N"/&gt; &lt;xs:enumeration value="O"/&gt; &lt;xs:enumeration value="P"/&gt; &lt;xs:enumeration value="R"/&gt; &lt;xs:enumeration value="S"/&gt; &lt;xs:enumeration value="T"/&gt; &lt;xs:enumeration value="U"/&gt; &lt;xs:enumeration value="W"/&gt; &lt;xs:enumeration value="Y"/&gt; &lt;xs:enumeration value="Z"/&gt; &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt; &lt;/xs:element&gt; </pre>
--	---

#### element **transaction/description**


diagram	
namespace	http://www.us.or
type	restriction of <b>xs:string</b>
properties	<pre> isRef 0 minOcc 0 maxOcc 1 content simple </pre>
facets	<pre> maxLength 200 </pre>
annotation	<pre> documentation A written description of the purpose of the transaction. </pre>
source	<pre> &lt;xs:element name="description" minOccurs="0"&gt;   &lt;xs:annotation&gt;     &lt;xs:documentation&gt;A written description of the purpose of the transaction.&lt;/xs:documentation&gt;   &lt;/xs:annotation&gt;   &lt;xs:simpleType&gt;     &lt;xs:restriction base="xs:string"&gt;       &lt;xs:maxLength value="200"/&gt;     &lt;/xs:restriction&gt;   &lt;/xs:simpleType&gt; &lt;/xs:element&gt; </pre>

#### element **transaction/aggregate-amount**

diagram	
namespace	http://www.us.or
type	restriction of <b>xs:double</b>

properties	isRef 0 minOcc 0 maxOcc 1 content simple
facets	minInclusive 0
annotation	documentation The total amount of contributions or expenditures for a contributor or payee.
source	<pre> &lt;xs:element name="aggregate-amount" minOccurs="0"&gt;   &lt;xs:annotation&gt;     &lt;xs:documentation&gt;The total amount of contributions or expenditures for a contributor or payee.&lt;/xs:documentation&gt;   &lt;/xs:annotation&gt;   &lt;xs:simpleType&gt;     &lt;xs:restriction base="xs:double"&gt;       &lt;xs:minInclusive value="0"/&gt;     &lt;/xs:restriction&gt;   &lt;/xs:simpleType&gt; &lt;/xs:element&gt; </pre>

### element transaction/payment-method


diagram	 <p>The method in which payment was made.</p>
namespace	http://www.us.or
type	restriction of <b>xs:string</b>
properties	isRef 0 minOcc 0 maxOcc 1 content simple
facets	enumeration CHK enumeration ACH enumeration EFT enumeration DC enumeration CC
annotation	documentation The method in which payment was made.
source	<pre> &lt;xs:element name="payment-method" minOccurs="0"&gt;   &lt;xs:annotation&gt;     &lt;xs:documentation&gt;The method in which payment was made.&lt;/xs:documentation&gt;   &lt;/xs:annotation&gt;   &lt;xs:simpleType&gt;     &lt;xs:restriction base="xs:string"&gt;       &lt;xs:enumeration value="CHK"/&gt;       &lt;xs:enumeration value="ACH"/&gt;       &lt;xs:enumeration value="EFT"/&gt;       &lt;xs:enumeration value="DC"/&gt;       &lt;xs:enumeration value="CC"/&gt;     &lt;/xs:restriction&gt;   &lt;/xs:simpleType&gt; &lt;/xs:element&gt; </pre>

### element transaction/date


diagram	 <p>The date the transaction occurred. This is not the date the transaction was entered into the system.</p>
---------	---

namespace	http://www.us.or
type	<b>xs:date</b>
properties	isRef 0 content simple
annotation	documentation The date the transaction occurred. This is not the date the transaction was entered into the system.
source	<pre>&lt;xs:element name="date" type="xs:date"&gt;   &lt;xs:annotation&gt;     &lt;xs:documentation&gt;The date the transaction occurred. This is not the date the transaction was entered into the system.&lt;/xs:documentation&gt;   &lt;/xs:annotation&gt; &lt;/xs:element&gt;</pre>

### element transaction/check-no


diagram	 <p>The number of the check.</p>
namespace	http://www.us.or
type	restriction of <b>xs:integer</b>
properties	isRef 0 minOcc 0 maxOcc 1 content simple
facets	maxInclusive 999999999999
annotation	documentation The number of the check.
source	<pre>&lt;xs:element name="check-no" minOccurs="0"&gt;   &lt;xs:annotation&gt;     &lt;xs:documentation&gt;The number of the check.&lt;/xs:documentation&gt;   &lt;/xs:annotation&gt;   &lt;xs:simpleType&gt;     &lt;xs:restriction base="xs:integer"&gt;       &lt;xs:maxInclusive value="999999999999"/&gt;     &lt;/xs:restriction&gt;   &lt;/xs:simpleType&gt; &lt;/xs:element&gt;</pre>

### element transaction/interest-rate


diagram	 <p>The interest rate of the loan.</p>
namespace	http://www.us.or
type	restriction of <b>xs:string</b>
properties	isRef 0 minOcc 0 maxOcc 1 content simple
facets	maxLength 30
annotation	documentation The interest rate of the loan.
source	<pre>&lt;xs:element name="interest-rate" minOccurs="0"&gt;   &lt;xs:annotation&gt;     &lt;xs:documentation&gt;The interest rate of the loan.&lt;/xs:documentation&gt;   &lt;/xs:annotation&gt;   &lt;xs:simpleType&gt;     &lt;xs:restriction base="xs:string"&gt; </pre>

	<pre> &lt;xs:maxLength value="30"/&gt; &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt; &lt;/xs:element&gt; </pre>
--	--

### element transaction/payment-schedule

diagram	
namespace	http://www.us.or
type	restriction of <b>xs:string</b>
properties	isRef 0 minOcc 0 maxOcc 1 content simple
facets	maxLength 30
annotation	documentation The repayment schedule for the loan.
source	<pre> &lt;xs:element name="payment-schedule" minOccurs="0"&gt;   &lt;xs:annotation&gt;     &lt;xs:documentation&gt;The repayment schedule for the loan.&lt;/xs:documentation&gt;   &lt;/xs:annotation&gt;   &lt;xs:simpleType&gt;     &lt;xs:restriction base="xs:string"&gt;       &lt;xs:maxLength value="30"/&gt;     &lt;/xs:restriction&gt;   &lt;/xs:simpleType&gt; &lt;/xs:element&gt; </pre>

### element transaction/occupation-letter-date

diagram	
namespace	http://www.us.or
type	<b>xs:date</b>
properties	isRef 0 minOcc 0 maxOcc 1 content simple
annotation	documentation The date a letter was sent requesting a contributor's occupational information.
source	<pre> &lt;xs:element name="occupation-letter-date" type="xs:date" minOccurs="0"&gt;   &lt;xs:annotation&gt;     &lt;xs:documentation&gt;The date a letter was sent requesting a contributor's occupational information.&lt;/xs:documentation&gt;   &lt;/xs:annotation&gt; &lt;/xs:element&gt; </pre>

### element transaction/notes

diagram	
---------	---

namespace	http://www.us.or
type	restriction of <b>xs:string</b>
properties	isRef 0 minOcc 0 maxOcc 1 content simple
facets	maxLength 1000
annotation	documentation Additional information about the transaction.
source	<pre> &lt;xs:element name="notes" minOccurs="0"&gt;   &lt;xs:annotation&gt;     &lt;xs:documentation&gt;Additional information about the transaction.&lt;/xs:documentation&gt;   &lt;/xs:annotation&gt;   &lt;xs:simpleType&gt;     &lt;xs:restriction base="xs:string"&gt;       &lt;xs:maxLength value="1000"/&gt;     &lt;/xs:restriction&gt;   &lt;/xs:simpleType&gt; &lt;/xs:element&gt; </pre>